

MSD: One Step Prep

ND = Not Determined, NE = Not Established, NA = Not Applicable

Product:

Name: One Step Prep
 Number: X210
 Type: Floor Finish
 Chemical Family: Floor Finish

Hazard Rating:

Health: 0
 Flamability: 0
 Reactivity: 0
 P. Protection: 0

Chemical Name:

Diethylene Glycol Methyl Ether

CAS NO **WT%** **PEL** **TWA-LTV** **STEL-TLV** **Carcinogen**

111-77-3 2-7 NE NE NE N

Boiling Range: 212 F Vapor Density: ND
 Vapor Pressure: ND Solubility in Water: 100%
 %Volatile: 70 - 80 pH: 8.5
 Specific Gravity: 1.02 Evaporation Rate: Water
 Extinguishing Media: NA

Upper Explosive Limit: NA
 Unusual Fire & Explosion Hazards: NA
 Special Fire Fighting Procedure: NA
 Flash Point (Method Used): 200 F

Physical Description: Milky white liquid, Mild odor
 Stability: Stable
 Incompatibility: None Known
 Hazardous decomposition products: Normal Products of Combustion
 Hazardous Polymerization: Will not occur
 Precautions to be taken in handling & Storage: Keep out of reach of children. For trained personnel only.
 Keep container closed during storage. For Institutional & Industrial use only. **Store away from fire.**

Respiratory Protection: No Special Requirements
 Protective Gloves: Waterproof or Chemical Resistant
 Eye Protection: Where contact is possible wear chemical goggles.
 Ventilation: Provide good ventilation to keep tlv at acceptable level.
 Spillage: Mop up, pickup with wet vac. Rinse area With water. For large spills dike area before clean up.
 Disposal: In accordance with Federal, State, & Local Regulations.

Physical Hazards:

Eyes: May cause mild irritation.
 Skin: Prolonged or repeated contact may cause irritation.
 Inhalation: ND
 Ingestion: May cause irritation to the mouth, throat, and stomach. Vomiting & Diarrhea can be

expected with large doses. Pre-existing eye or skin conditions may be aggravated.

Treatment:

Eyes: Flush with running water for at least 15 min.
Skin: Flush with water. See physician if irritation develops or persists.
Inhalation: Remove to fresh air
Ingestion: Drink large quantity of water. Seek medical attention immediately.

Supplier Information:

Name: IDP LABS
Address: 1719 West Farms Rd.
Bronx, N.Y.10460
Telephone: 1-800-877-0847