

## MSD: One Step High Traffic

ND = Not Determined, NE = Not Established, NA = Not Applicable

### Product:

Name: GL. CS. High Traffic  
 Number: X907  
 Type: High Speed Restorer  
 Chemical Family: Floor Coating

### Hazard Rating:

Health: 2  
 Flamability: 0  
 Reactivity: 0  
 P. Protection: B

### Chemical Name:

Chemical Name:	CAS NO	WT%	PEL	TWA-LTV	STEL-TLV	Carcinogen
Nonionic Surfactant	9016-45-9	4-7	ND	ND	ND	N
Dipropylene Glycol Methyl Ether	34590-94-8	1-5	100	100	100	N
Polyethylene Emulsion	67892-91-5	3-6	ND	ND	ND	N
Fragrance	Trade Secret	<1	ND	ND	ND	N

Boiling Range: 212 F  
 Vapor Pressure: ND  
 %Volatile: 85-95  
 Specific Gravity: 1.01  
 Extinguishing Media: NA

Vapor Density: Air  
 Solubility in Water: 100%  
 pH: 8.4  
 Evaporation Rate: Water

Upper Explosive Limit: NA  
 Unusual Fire & Explosion Hazards: NA  
 Special Fire Fighting Procedure: NA  
 Flash Point (Method Used): NA

Physical Description: Milky liquid, floral fragrance  
 Stability: Stable  
 Incompatibility: Strong Acids  
 Hazardous decomposition products: Normal Products of Combustion  
 Hazardous Polymerization: Will not occur

Precautions to be taken in handling & Storage: Keep out of reach of children. For use by trained personnel only. Keep container closed during storage. For Institutional & Industrial use only. **Store away from fire**

Respiratory Protection: No Special Requirements  
 Protective Gloves: Waterproof or Chemical Resistant  
 Eye Protection: Where contact is possible wear chemical splash goggles.  
 Ventilation: Provide good ventilation to keep TLV at acceptable levels  
 Spillage: Mop up, pick up with wet vac, or absorb with suitable absorbent  
 Disposal: In accordance with Federal, State, & Local Regulations.

### Physical Hazards:

Eyes: Eye irritant. Direct contact of liquid or mist cause irritation.  
 Skin: Prolonged or repeated contact with skin may cause irritation / defatting of skin

Inhalation: ND  
Ingestion: May cause irritation to the mouth, throat, and stomach. Vomiting & diarrhea can be expected with large doses.

**Treatment:**

Eyes: Flush with running water for at least 15 min. Call a physician if irritation persists.  
Skin: Flush with water. See a physician if irritation persists.  
Inhalation: Remove to fresh air  
Ingestion: Drink large quantities of water. Seek medical attention immediately

**Supplier Information:**

Name: IDP LABS  
Address: 1719 West Farms Rd.  
Bronx, N.Y. 10460  
Telephone: 1-800-877-0847