

MSD: Clearview

ND = Not Determined, NE = Not Established, NA = Not Applicable

Product:

Name: Clearview
 Number: X905
 Type: RTU Glass cleaner
 Chemical Family: Cleaner

Hazard Rating:

Health: 2
 Flamability: 0
 Reactivity: 0
 P. Protection: B

Chemical Name:

Chemical Name:	CAS NO	WT%	PEL	TWA-LTV	STEL-TLV	Carcinogen
Nonionic Surfactant	9016-45-9	ND	ND	ND	ND	N
Propylene Glicol Methyl Ether	1007-98-2	100	100	100	100	N
Odor Neutralizer	ND	0.1-1	ND	ND	ND	N
Optical Brightner	ND	0.1-1	ND	ND	ND	N

Boiling Range: 212 F
 Vapor Pressure: ND
 %Volatile: 95-99
 Specific Gravity: 0.99
 Extinguishing Media: NA
 Vapor Density: ND
 Solubility in Water: 100%
 pH: 7.0
 Evaporation Rate: Water

Upper Explosive Limit: NA
 Unusual Fire & Explosion Hazards: NA
 Special Fire Fighting Procedure: NA
 Flash Point (Method Used): NA

Physical Description: Green Liquid sweet Apple Fragrance
 Stability: Stable
 Incompatibility: Strong Acids
 Hazardous decomposition products: Normal Products of Combustion
 Hazardous Polymerization: Will not occur

Precautions to be taken in handling & Storage: Keep out of reach of children. For use by trained personnel only. Keep container closed during storage. For Institutional & Industrial use only. **Store away from fire**

Respiratory Protection: No Special Requirements if good ventilation is maintained
 Protective Gloves: Waterproof or Chemical Resistant
 Eye Protection: Where contact is possible wear chemical splash goggles.
 Ventilation: Provide good ventilation
 Spillage: Mop up or pick up with wet vac & hold for proper disposal. Rinse area with water.
 Disposal: In accordance with Federal, State, & Local Regulations.

Physical Hazards:

Eyes: Irritant. Liquid mist may injure/burn eyes.
 Skin: Skin irritant. May cause reddening, swelling & possible skin damage

Inhalation: Inhalation of vapor or mist may irritate respiratory tract. High concentrations of vapor may cause headaches, dizziness, & nausea

Ingestion: May cause irritation to the mouth, throat, and stomach. Vomiting & diarrhea can be expected with large doses. Preexisting eye, skin or respiratory condition may be aggravated

Treatment:

Eyes: Flush with running water for at least 15 min. Call a physician if irritation persists.

Skin: Flush with water. See a physician if irritation develops.

Inhalation: Remove to fresh air. Call a physician in symptoms persist.

Ingestion: Drink 2 glasses of water. Seek medical attention immediately

Supplier Information:

Name: IDP LABS

Address: 1719 West Farms Rd.
Bronx, N.Y. 10460

Telephone: 1-800-877-0847